



Usual training splits

Praveen Kumar Singh Jadon

Head, Department of Physical Education & Sports, K.A. (P.G.) College, Kasganj, Uttar Pradesh, India

Abstract

We Select training split based on our aim, objectives, Life style, schedule, Physical (Structure, training age and ability to recover. Body-part splits can be time taking and useful for those whose schedules is changed day to day. Great for size gains in some cases. Total body training is better for athletes. The intensive/extensive split is based on the neural demands of a workout. Agonist/antagonist supersets work opposing muscle groups together, such as doing a Barbell Curl and Barbell Tricep Overhead Extension. Hypertrophy specialization programs bring up Undeveloped body parts. Focus more than three days per week on one body part with one day per week for maintaining everything else. Push-pull routines are flexible. The moderate frequency of movement is better for skill acquisition than body part splits.

Keywords: Training split, body-part splits, intensive/extensive split, agonist/antagonist, hypertrophy, push-pull routines

Introduction

When any trainee entered in Gym for Fitness, Sports Training or Professional Bodybuilding, he is taught about Full body or split Training Program. The split system of training has been around almost as long as bodybuilding itself.

Split Training program can give more results from a shorter period of time spent in the gym. Full body Training Program might take more than two hours but Split training program an beneficial to observance daily routine short: higher intensity, better focus, more energy and strength, and a reduced possibility of "overtraining." And saves time because Split Training program can be done in 45-60 minutes a day. Split Training Program is used from olden days when the Bodybuilding is started. Split system training is mostly used by Bodybuilders, Fitness Trainers, Trainees, Professional Powerlifters but Olympic lifters do not use this approach.

We can't train every body part with real intensity and a meaningful number of sets in a single day. This is where division is required and split routine come in.

What Is Split Training Program

Split training program is a of weight training that divides training sessions by body regions, Muscle Group, Load Method, Movements, Actions or Lacking Part.

The concept can get even more specific with various combinations accordance of the division method of Split Training Program. Devising your workout and your training "split" (which body parts you do on a given day over the course of a week) revolves around factors that are specific to you.

Types of Training Splits

Every Individual is different from another individual. There is not a hard and fast rule to choose a type of Training Split. Adaptation of type of training Split is different in different people. We Select training split based on our aim, objectives, Life style, schedule, Physical (Structure, training age and ability to recover.

The Training Splits are as follows

1. The Body Part Split

Body part splits are classic "bodybuilder" split. Lifters rush one by one muscle group throughout the week in different days.

Advantages

Body part splits avail greater exercise variation to target individual muscles. total-body style routines are great for muscles growth due to abundant volume because Lifters normally train every muscle isolate.

High volume and metabolic stress lead to greater hypertrophy than other splits. Just make sure you have a exceptional training base before advancing.

Disadvantages

We feel pain to train with heavy multi-joint lifts without some degree of hindered recovery from previous workouts. We have to care of workout nutrition, sleep needs, and other recovery essentials taken care of.

Body-part splits are time consuming, painstaking, unrealistic, unworkable, unfeasible, non-viable, impracticable. ill-considered, ill-thought-out, illogical, unreasonable, far-fetched, impossible, silly, foolish and absurd for busy people with fluctuating schedules because missing one routine discard the flow of the program. Many body part splits are superficial based insted performance base. So It is not the best option for beginners and Athletes.

Example

Days	Body part/exercise
Monday	CHEST
Tuesday	BACK
Wednesday	TRICEP
Thursday	BICEP
Friday	Shoulder
Saturday	Legs
Sunday	Rest/off day

2. Upper-Lower Training Split

Upper-lower training splits is strange development for those habitually to total-body training splits as they allow more recovery and training volume. Upper body and lower body days are alternated for 4-6 workouts in a 7-day training split.

Advantages

Upper-lower training splits are a great development against total body training and work well with most populations that want to gain size and strength synchronously. Upper-lower splits conceeds higher training frequency for rapid learning and proficiency while adapting symbollic loading. They offer a tolerant training frequency and tolerant high volume for hypertrophy.

Disadvantages

Generally unbalanced training times with upper body workouts because It takes much longer than most lower body sessions.

Upper-lower training splits endeavor shorter recovery time between training sessions in comparison to body-part splits, which may block recovery. Lower body training is brutal so doing it two times per week might be too much for the weak minded.

Example

Days	Body part/exercise
Monday	Upper Body
Tuesday	Lower Body
Wednesday	Upper Body
Thursday	Lower Body
Friday	Upper Body
Saturday	Lower Body
Sunday	REST/OFF DAY

3. Total Body Training Split

Total body training splits are train the body as a whole rather than its component parts.

Advantages

Total body splits is chosen by those short on time who want full-body stimulation. High frequency stimulation of muscles and controlled training volume achieves many goals, such as fat loss, strength building and hypertrophy. Total body training is more appropriate for competitive athletes and concede easier integration of movement training. Workouts is to minimized on essential items not each and every variations.

Total body workouts are useful for beginners, fat loss, and general health. It's easy to unify other training procedures around total body routines as most movements and muscles are hit during each workout.

Disadvantages

Low intra-workout volume may resist metabolic-stress related hypertrophy. Stronger lifters may struggle with recoverability from training more than three times per week. It's strenuous to train more than three times per week without knowledge and knowinness for Biological process. Smaller muscles are likely neglected, which is tough on the closet bodybuilder cognition.

Example

Days	Body part/exercise
Monday	A. Power Clean- 5x3
	B. Bench Press- 3x6
	C. Lunge3x8-12
	D1. Farmer Walk3x30 seconds
	D2. Dip3x 30 seconds – timed set
Tuesday	Rest/Off Day
Wednesday	A. Push Press5x3
	B. Deadlift4x6
	C. Chin-Up3x8-12
	D1. Plank3x30 seconds
	D2. Biceps Curl3x 30 seconds – timed set
Thursday	Rest/Off Day
Friday	A. Back Squat5x3
	B. Bent-Over Row4x6
	C. Dumbbell Bench Press3x8-12
	D1. Kettlebell Crosswalk3x30 seconds
	D2. Hip Thrust3x12
Saturday	REST/OFF DAY
Sunday	REST/OFF DAY

4. Push/Pull Training Split

Push/pull splits training is based on movement pattern. The movements on the posterior side of the body are generally responsible for pulling actions and the front/anterior side of the body is responsible for pushing actions.

Advantages

Push/pull routines are useful for intermediate and advanced trainees. They are an efficient way to train and allow for flexible planning. Moderate frequency of movement is more appropriate for skill acquisition than body part splits performed once per week.

Disadvantages

Push/pull splits are not used by athletic populations because they split up the body by muscles that work together. Push-pull routines are also a bit advanced for beginners who want to maximize their gains.

Example

Days	Body part/exercise
Monday	Pull (legs/hamstrings, back, biceps, lower back)
Tuesday	Push (chest, shoulders, triceps, legs/quads, abs)
Wednesday	Pull (legs/hamstrings, back, biceps, lower back)
Thursday	Push (chest, shoulders, triceps, legs/quads, abs)
Friday	Pull (legs/hamstrings, back, biceps, lower back)
Saturday	Push (chest, shoulders, triceps, legs/quads, abs)
Sunday	REST/OFF DAY

5. Intensive/Extensive Training Split

The intensive/extensive split training is based on the neural demands of a workout. For example: Heavy/explosive day is followed by a metabolic/higher volume day. 3-4 days of training work best.

Advantages

Intensive/extensive splits are an advanced programming strategy for athletes. This type of program is useful for athletic community and for training movement skills (like acceleration) in coordination with resistance training. Intensive/extensive splits endeavor a sound advancement for establishing greater levels of performance.

Disadvantages

Intensive/extensive splits are advanced, complicated, sophisticated and difficult to design. Intensive/extensive splits are not be ideal for hypertrophy-oriented lifters because Intensive/extensive splits are concentrate on the involvement of movement training, which disturb the overall recovery for hypertrophy.

Workouts are lengthened in duration on intensive days due to the neural recovery demands of intense exercise.

Example

Days	Body part/exercise
Monday	Speed work, Olympic lifts plus compound push exercises
Tuesday	Metabolic/change of direction, pull emphasis
Wednesday	Rest/Off Day
Thursday	Speed work, Olympic lifts plus compound push exercises
Friday	Metabolic focus, pull emphasis in weight room
Saturday	Rest/off day
Sunday	Rest/off day

6. Primary Mover Plus Opposing Supersets

Primary Mover Plus Opposing Supersets are also known as non-competing supersets or agonist/antagonist supersets. These splits work with opposing muscle groups together. An example would be doing a dumbbell curl and a dumbbell Triceps extension.

Advantages

Primary Mover Plus Opposing Supersets are good for building muscle and attain a one-to-one training balance on opposing sides of the body. Primary Mover Plus Opposing Supersets Increased blood flow to Primary Mover and antagonist muscle groups and due to this improve performance and metabolic stress-related hypertrophy.

Primary Mover Plus Opposing Supersets are flexible and can allow for 3-6 days of training based on individual difference. Supersets are easily done to optimize training performance.

Disadvantages

Primary Mover Plus Opposing Supersets are difficult to integrate movement skills which is making difficult for athletes to integrate Primary Mover Plus Opposing Supersets are as a primary method. Primary Mover Plus Opposing Supersets are a advanced for beginners and may pause recovery problems for older lifters.

Example

Days	Body part/exercise
Monday	Chest & Back
Tuesday	Legs & Shoulder
Wednesday	Rest/Off Day
Thursday	Chest & Back
Friday	Bicep and Triceps
Saturday	Rest/off day
Sunday	Rest/off day

7. Primary Mover Plus Synergist

Primary Mover Plus Synergist merge primary movers of an exercise with secondary movers in the same training day. Back and biceps or chest and triceps splits are examples.

Advantages

Primary Mover Plus Synergist are adjustable training frequency with 3-6 days of training per week. Supersets create time-economical workouts. Greater intra-workout muscular damage due to High training volume.

Disadvantages

Primary Mover Plus Synergist are Advanced for beginners and tough to recover from for older lifters. Fluctuation in training frequency may be troublesome for younger lifters to set up.

Example

Days	Body part/exercise
Monday	Chest & Triceps
Tuesday	Back & Biceps
Wednesday	Legs & Shoulder
Thursday	Chest & Triceps
Friday	Back & Biceps
Saturday	REST/OFF DAY
Sunday	REST/OFF DAY

8. Specialization Training Splits: Hypertrophy

Specialization Programs

Specialization Training Splits target on developing a underdeveloped body part within a short time frame. Specialization Training Splits involves focusing more than 3 days per week on one body part with one day per week for maintaining other body parts.

Advantages

Specialization Training Splits stimulate stagnant gains on a body part. High volume and frequency result in a sudden increase in hypertrophy on the specialized body part. They are usually a blow and great for more advanced lifters.

Disadvantages

Specialization Training Splits neglect other body parts during the training program, This may lead to atrophy and a decrease in performance. Specialized programs are unbalanced. Specialization Training Splits do not care with other fitness parameters.

Example

Days	Body part/exercise
Monday	High-Rep Horizontal Pull
Tuesday	Low-Rep Vertical Pull
Wednesday	Low-Rep Horizontal Pull
Thursday	High-Rep Vertical Pull
Friday	Total Body Maintenance, Cardio
Saturday	Rest/off day
Sunday	Rest/off day

So Which Split I Choose?

Determine Main Goal

Aim & Objectives must be clear. Focus on isolation is not ideal or fitted for athletes because Athletes need to move the body as an integrated unit.

If our aim is to get as big as possible, then we do not need to spend time perfecting a sprint mechanic. Make our goal as specific as possible and then prepare our training split as needed.

Assess Schedule

We must take care of the time we have for exercise. It depends on Individual difference, their leisure time. We can be busy in our work still we should give some hours for body. We must select the split according to tie needed for that particular Split.

Training Age

Training age is important factor in training.

Beginners jump on body part splits and isolation workouts Intermediate level are strong enough to reap the rewards of focused isolation. Advance lifters find they can not train as hard as often due to greater neural requirements, joint stress, and recovery.

Recoverability

The body is an integrated system. Recovery based on so many factors like how our muscles feel, everyday stress, the nervous system, sleep quality, and nutrition.

Conclusion

When our workouts get boring, there's nothing wrong with changing them, as long as the new workouts you choose continue to bring you closer to your goals. The eight splits above are very versatile, and we can use any exercises we want and make them fit into the structure. Pick a split that fits our schedule, plan out the exercises we will use and give it a try.

Reference

1. Schoenfeld BJ, Ratamess NA, Peterson MD, Contreras B, Tiriyaki-Sonmez G. Influence of resistance training frequency on muscular adaptations in well-trained men. *J Strength Cond Res*,2015;29(7):1821-1829. doi:10.1519/JSC.0000000000000970
2. Grgic J, Schoenfeld BJ, Latella C, *et al.* Resistance Training Frequency and Muscular Adaptations: A Meta-Analysis of Longitudinal Studies. *Sports Med*, 2018;48(6):1207-1220. doi:10.1007/s40279-018-0872-x
3. Wernbom M, Augustsson J, Thomeé R. The influence of frequency, intensity, volume and mode of strength training on whole muscle cross-sectional area in humans. *Sports Med*,2007;37(3):225-264. doi:10.2165/00007256-200737030-00004
4. Rhea MR, Alvar BA, Burkett LN, Ball SD. A meta-analysis to determine the dose response for strength development. *Med Sci Sports Exerc*,2003;35(3):456-464. doi:10.1249/01.MSS.0000053727.63505.D4
5. Peterson MD, Rhea MR, Alvar BA. Applications of the dose-response for muscular strength development: a review of meta-analytic efficacy and reliability for designing training prescription. *J Strength Cond Res*,2005;19(4):950-958.
6. Ralston GW, Kilgore L, Wyatt FB, Baker JS. The Effect of Weekly Set Volume on Strength Gain: A Meta-Analysis. *Sports Med*,2017;47(12):2585-2601. doi:10.1007/s40279-017-0762-7
7. Kraemer WJ, Ratamess NA. Fundamentals of resistance training: progression and exercise prescription. *Med Sci Sports Exerc*,2004;36(4):674-688. doi:10.1249/01.MSS.0000121945.36635.61
8. Gomes TM, Tavares LD, Reis VM, *et al.* Effects of different weekly training frequencies on strength,

anthropometric and body composition adaptations in resistance trained men. *J Exerc Physiol Online*,2019;22(3):34-46.

9. Gentil P, Soares SRS, Pereira MC, *et al.* Effect of adding single-joint exercises to a multi-joint exercise resistance-training program on strength and hypertrophy in untrained subjects. *Appl Physiol Nutr Metab*,2013;38(3):341-344. doi:10.1139/apnm-2012-0320
10. Morton RW, Oikawa SY, Wavell CG, *et al.* Neither load nor systemic hormones determine resistance training-mediated hypertrophy or strength gains in resistance-trained young men. *J Appl Physiol*,2016;121(1):129-138. doi:10.1152/jappphysiol.00154.2016